

9600333

# THE CONTRESION STANTES OF ANTERIOR

TO ALL TO WHOM THESE: PRESENTS: SHALL COME;

Pioneer Hi-Bred International, Inc.

MATCHE, THERE HAS BEEN PRESENTED TO THE

#### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW in such cases made and provided have been complied with, and the title thereto is, from the records of the Plant Variety Protection Office, in the applicant(s) indicated in the said copy, and WHEREAS, upon due examination made, the said applicant(s) is (are) adjudged to be ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE  ${\sf LAW}_{\cdot}$ 

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, the right to exclude others from selling the VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR OPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT ETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION  $\operatorname{Act}$ , (84 STAT, 1542, AS ED, 7 U.S.C. 2321 ET SEO.)

ALFALFA

'5939'

In Testimon Marcos, I have hereunto set my hand and caused the seal of the Mont Natisty Protection Office to be affixed at the City of Washington, D.C. this thirtieth day of June in the year of our Lord one thousand nine hundred and ninety-nine.

Plant Variety Protection

| REPRODUCE LOCALLY. Include form number and date of  | n all reproductions.  | •   | FORM APPROVED - OMB NO. 0581-0055   |  |  |  |  |
|---|---|---|---|--|--|--|--|
| U.S. DEPARTMENT OF AGRICULTUF<br>AGRICULTURAL MARKETING SERVI   | CE  |   | The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995,   |  |  |  |  |
| SCIENCE AND TECHNOLOGY DIVISION - PLANT VARIETY  APPLICATION FOR PLANT VARIETY PROTEC   | Application is required in order to certificate is to be issued (7 U.S.                     | Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential |   |  |  |  |  |
| (Instructions and information collection burden sta   | tement on reverse)  | until certificate is issued (7 U.S.C  |   |  |  |  |  |
| 1. NAME OF APPLICANT(S) (as it is to appear on the Certificate)   | 2. TEMPORARY DESIGNATION OR<br>EXPERIMENTAL NUMBER  | 3. VARIETY NAME   |   |  |  |  |  |
| Pioneer Hi-Bred International, Inc.   | XAN13   | 5939  |   |  |  |  |  |
| 4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code,   | and Country)  | 5. TELEPHONE (include area code)  | FOR OFFICIAL USE ONLY   |  |  |  |  |
| 7305 N.W. 62nd Ave.   |   | (515) 270-3340  | 9600333   |  |  |  |  |
| P.O. Box 287  |   | 6. FAX (Include area code)  | F DATE OF THE PROPERTY OF THE |  |  |  |  |
| Johnston, IA 50131  |   | (515) 270-3750  | May 13 1996   |  |  |  |  |
| 7. GENUS AND SPECIES NAME   | 8. FAMILY NAME  | (Botanical)   | FILING AND EXAMINATION FEE:   |  |  |  |  |
| Medicago sativa   | Legur   | minosae   | [ : 2450 <u>m</u>   |  |  |  |  |
| 9. CROP KIND NAME (Common name)  Alfalfa  |   |   | * August 13, 1996   |  |  |  |  |
| 10. IF THE APPLICANT NAMED IS NOT A "PERSON", GIVE FORM OF OR   | RGANIZATION (corporation  | , partnership, association, etc.) (Common name)   | C CERTIFICATION FEE:  |  |  |  |  |
| Corporation   |   |   | V 300°  |  |  |  |  |
| 11. IF INCORPORATED, GIVE STATE OF INCORPORATION  lowa  | I IF INCORPORATED, GIVE STATE OF INCORPORATION 12. DATE OF INCORPORATION  I Owa May 6, 1926 |   |   |  |  |  |  |
| 13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY   |   | ATION AND RECEIVE ALL PAPERS  | 14. TELEPHONE (Înclude area code)   |  |  |  |  |
| William T: W: Woodward Mary Lets of 7305 N.W. 62nd Ave. AAA 13 July P.O. Box 287 Johnston, IA 50131   | Blair<br>pital Square<br>cust<br>pines, IA_50300  | (515) 270-3340<br>15. FAX (include area code)<br>(515) 270-3750   |   |  |  |  |  |
| <ul> <li>16. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED</li> <li>a. ✓ Exhibit A. Origin and Breeding History of the Variety</li> <li>b. ✓ Exhibit B. Statement of Distinctness</li> <li>c. ✓ Exhibit C. Objective Description of the Variety</li> <li>d. ✓ Exhibit D. Additional Description of the Variety (Optional)</li> <li>e. ✓ Exhibit E. Statement of the Basis of the Applicant's Owne</li> <li>f. ✓ Voucher Sample (2,500 viable untreated seeds or, for tub</li> <li>g. ✓ Filing and Examination Fee (\$2450), made payable to "Treated</li> </ul> | rship<br>er propagated varieties verii<br>asurer of the United States"                      | iication that tissue culture will be deposited and (<br>(Mall to PVPO)  |   |  |  |  |  |
| 7. DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE ST   |   |   | on 83(a) of the Plant Variety Protection Act)   |  |  |  |  |
| YES (if "yes," answer items 18 and 19 below)  18. DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE L   |   | If "no," go to item 20)   | OF BRODUCTION REVOND BREEDED STEPS  |  |  |  |  |
| GENERATIONS?  YES NO  | LIMITED AS TO NUMBER OF   |   | F "YES" TO ITEM 18, WHICH CLASSES OF PRODUCTION BEYOND BREEDER SEED?  FOUNDATION REGISTERED CERTIFIED   |  |  |  |  |
| 20. HAS THE VARIETY OR A HYBRID PRODUCED FROM THE VARIETY E  YES (If "yes," give names of countries and dates)  | BEEN RELEASED, USED, OF   | USA, October, 1995  | R OTHER COUNTRIES?  |  |  |  |  |
| 21. The applicant(s) declare that a viable sample of basic seed of the va<br>applicable, or for a tuber propagated variety a tissue culture will be<br>The undersigned applicant(s) is (are) the owner(s) of this sexually r  | deposited in a public reposi  | tory and maintained for the duration of the certif  | icate.  |  |  |  |  |
| in Section 42, and is entitled to protection under the provisions of S<br>Applicant(s) is (are) informed that false representation herein can je  | '   |   |   |  |  |  |  |
| SIGNATURE OF APPLICANT (Ownfor(s))  | sı  | GNATURE OF APPLICANT(Owner(s))  | ,   |  |  |  |  |
| NAME (Please print or type)   | N.  | AME (Please print or type)  |   |  |  |  |  |
| William T.W. Woodward   |   |   |   |  |  |  |  |
| ***************************************   |   | APACITY OR TITLE  | DATE  |  |  |  |  |
| Director, Department of Alfalfa Research  | 9/12/96   | (Soo roverse for instructions on  | d information collection burden statement   |  |  |  |  |
| STD-470 (Previous editions are to be destroyed)   |   | (See reverse for instructions and   | information collection burden statement)  |  |  |  |  |

### Exhibit A

# Origin and Breeding History of the Variety

### `5939`

5939 is a synthetic variety comprised from 156 parental plants originating from 5715 (26%), UC Cibola (44%) and one Pioneer experimental variety (86PN731) that traces back to CUF101 (30%). Seed was harvested from individual plants in 1988 and 1989 in "cage isolation" and bulked to produce Syn 1 breeder seed. Parent plants were selected through phenotypic recurrent selection for Anthracnose and Phytophthora root rot.

During seed multiplication, no variation beyond the limits defined under Exhibit C has been found. Multiplication procedures will insure that seed being sold as 5939 will not be shifted in characteristics beyond presently acceptable limits for alfalfa varieties.

It is confirmed that 5939 meets presently acceptable levels for uniformity for alfalfa varieties.

# **EXHIBIT B**

# **NOVELTY STATEMENT**

**'**5939'

5939 most closely resembles the variety '5929'. 5939 differs from 5929 in anthracnose resistance, being classified as having resistance while 5929 is susceptible to the disease. (35 vs ol % Respectively)

per phone Conversation 99

EXHIBIT C

# U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK AND SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

# OBJECTIVE DESCRIPTION OF VARIETY

|  |   | ALPALFA                                     | ( <i>iviedicago sativa</i> sens  | su Gunn et al.)                                  |                                     |                     |                   |  |
|--|---|---|--|--|-------------------------------------|---------------------|-------------------|--|
| NAME OF APPLICANT(S)   |   |   | TEMPORARY DE   | SIGNATION  | VARIETY NAME                        |                     |                   |  |
| Pioneer Hi-  | -Bred International, In   | c.  | XAN13  |  | 5939                                |                     |                   |  |
| ADDRESS (Street and No., or R.F.   | .D. No., City, State, and Zip   | Codel                                       |  |  | FOR OFFICIAL USE ONLY               |                     |                   |  |
| 7305 N.W.  | 62nd Ave., P.O. Box   | 287   |  | PVPO NUMBER                                      |                                     |                     |                   |  |
| Johnston, I  |   |   | 96   | 00333  |                                     |                     |                   |  |
| PLEASE READ ALL INSTRUCT application variety. Data for quancessary (e.g. 0 8 9 for quancolor may be precisely designated | uantitative plant charac<br>antitative data. Compa  | ters should be base<br>rative data should b | d on a minimum of 10 e determined from va                                  | 00 plants. Include lea<br>rieties entered in the | ding zeros when<br>same trial.Plant | f the commerical ge | enerations of the |  |
| 1. WINTERHARDINESS:  |   |   |  |  |                                     |                     | ·                 |  |
| CLASS:   | 1 = Very Non-Winterhard<br>3 = Intermediately Non-W<br>5 = (Du Puits)<br>7 = (Ranger)<br>9 = Extremely Winterhard | finterhardy (Mesilia)                       | 2 = Non-Wintern<br>4 = Semi-Wintern<br>6 = Moderately V<br>8 = Winternardy | nardy (Lahontan)<br>Vinterhardy (Saranac)        |                                     |                     |                   |  |
| •  | TEST LOCATION:  |   |  |  |                                     |                     |                   |  |
| 2, FALL DORMANCY;  |   |   |  |  |                                     |                     |                   |  |
| Z, I ALL DOTHING I   | F   | ALL DORMANCY (D                             | ETERMINED FROM   | SPACED PLANTINGS                                 | 5)                                  |                     |                   |  |
| TESTING INSTITUTION  | DATE OF   | DATE DECRONER!                              |  | REGROWTH SCORE OF                                | R AVERAGE HEIGHT                    |                     |                   |  |
| AND LOCATION   | DATE OF<br>LAST CUT   | DATE REGROWTH<br>SCORED                     | APPLICATION  |  | CHECK VARIETIES*                    |                     | LSD .05           |  |
|  |   |   | VARIETY  | Moapa 69   | CUF 101                             | 5929                |                   |  |
| Heim, CA   | 10/94   | 11/94                                       | 42.6   | 33.2   | 44.4                                | 45.0                | 2.8               |  |
| <del>  </del>  |   | (cm) cy Trials) 3 = Sem                     | eman as appropriate.<br>nierect (Mesilla)<br>umbent (Norseman)             | 5 = Intermediate (Sa                             | ıranac)                             |                     | _                 |  |
| 3. RECOVERY AFTER FIRST SPRING   | G CUT (In Southwest, first  | cut after March 21):                        |  |  |                                     |                     |                   |  |
| 9 = Very \$  | Fast (CUF 101)<br>Slow (Norseman<br>CATION: Kermar  |   | t (Saranac)  | 5 = Intermediate (Ra                             | inger)                              | 7 = Slow (Vernal)   |                   |  |
|  |   |   |  |  |                                     |                     |                   |  |
| 4. AREAS OF ADAPTATION IN U.S. (   |   | adapted):                                   |  | 5 3 Oth  | er Areas of Adaptation              |                     |                   |  |
|  | Central<br>rately Winterhardy Intermo<br>(Specify)  | 2 = East Centra!<br>suntain                 | 3 = So<br>6 = Winterhardy I  | ·  | = Southwest<br>= Great Plains       |                     |                   |  |
| Days Earlier Than Same As Days Later Than Says Later Than  | · `   | ers at time of first sprin                  | • ,  | Mesilia 3 =                                      | Saranac 4 = V                       | ernal 5 = No        | orseman           |  |

| 6. PLANT COLOR (Determined   | from healthy regrowth 3 we   | eks after first so   | ring cut, controlling b  | eathonners if nacocc   | and:  |  |  |  |  |
|--|--|--|--|--|---|--|--|--|--|
| 1 = Very Dark Gre  | reen (524) 2 = Dark Green (Vernal) 3 = Light Green (Ranger)  |  |  |  |   |  |  |  |  |
| COLOR CHART \  | DLOR CHART VALUE(Specify chart used)   |  |  |  |   |  |  |  |  |
| APPLICATION VARIETY:   |  |  |  |  |   |  |  |  |  |
| VERNAL:  |  |  |  |  |   |  |  |  |  |
| TEST LOCATION  |  |  |  |  |   |  |  |  |  |
| 7. CROWN TYPE (Determined fro  | m spaced plantings):   |  |  |  |   |  |  |  |  |
| 3 Noncreeping T  | ypes: 1 = Broad (Ve  | emal)  | 2 = Intermediate (Sa   | aranac)  | 3 = Narrow (  | CUF 101)   |  |  |  |
| Creeping Type  | s: 4 = Creeping  | Rooted (Rangela  | ander)   | 5 = Rhizomatous  | (Rhizoma)   |  |  |  |  |
| 8. FLOWER COLOR (Determine for   | requency of plants for each  | color class as d   | lefined by USDA Agric  | cultural Handbook No   | . 424 (Barnes 1                                     | 1972), allowing all pla  | ants in nigt to flower):   |  |  |
| 8. FLOWER COLOR (Determine frequency of plants for each color class as defined by USDA Agricultural Handbook No. 424 (Barnes 1972), allowing all plants in plot to flower):  1 0 0  % Purple and Violet (Subclasses 1.1 to 1.4)  % Blue (Subclasses 2.3 and 2.4) |  |  |  |  |   |  |  |  |  |
| % Variegated O   | ther Than Blue (Subclasse  | s 2.1, 2.2, 2.5 to 2   | 2.9)   | % Yellow (\$u  | bclasses 4.1 to                                     | 4.4)   |  |  |  |
| % Cream (Class   | - 21   |  |  | <u> </u>   |   |  |  |  |  |
| · · · · · · · · · · · · · · · · · · ·  | N:Johnston. IA   | 08   | <u> </u>   | % White (Cla   | ss 5}   |  |  |  |  |
|  |  |  |  |  |   |  |  |  |  |
| 9. POD SHAPE (Determine freque   | ncy of plants with the follow  | wing pod shapes  | produced on well cre   | oss-pollinated raceme  | es):  |  |  |  |  |
| % Tightly Coiled   | i (One or more coils, cente  | r more or less clo   | osed)  | % Loosely Co   | iled (One or m                                      | ore coils, center con  | spicuously open)   |  |  |
| % Sickle (Less t   | han 1 coil)  |  | <del></del>  | TESTIONAT  | ON-   |  |  |  |  |
|  | -  | dal data far anali   | 47   |  | ON:   |  | generation tested, average severity  |  |  |
| evaluation<br>locations<br>Seeds of a<br>20705. Al<br>presented  | res (ASI), least significant on Describe scoring system should be presented when the check varieties and ger though comparisons with o | difference statist<br>n, and any test pr<br>ever available on<br>mplasm lines list | ics (LSD .05), the inst<br>rocedure which differs<br>a a separate documen<br>ted below can be obta | itution in charge of te<br>s from standard meth<br>it as Exhibit D.<br>sined from the USDA I | est, year, and lo<br>ods proposed<br>Field Crops La | ocation of test, and v<br>by Elgin (1982). Tria<br>boratory Bldg 001 | generation tested, average severity<br>vinether test is a field or laboratory<br>il data from other test years or<br>Rm. 335, BARC-West, Beltsville, MD<br>ommended by Elgin (1982) may be |  |  |
| A. DISEASE RESISTANCE:   |  | SYN. GEN,  | PERCENT  | NUMBER OF  |   | ASI  | INSTITUTION, YEAR, LOCATION,   |  |  |
| DISEASE  | VARIETY  | TESTED   | RESISTANT<br>PLANTS  | PLANTS TESTED  | ASI   | LSD .05  | FIELD OR LABORATORY  |  |  |
| Anthracnose, Race 1  |  |  |  |  |   |  |  |  |  |
| (Colletotrichum trifolii)  | Application R  | 1  | 35.3   | ~300   |   | % Resistant plants   | Pioneer Hi-Bred International,<br>Inc., 1989, Johnston, IA,<br>Laboratory (greenhouse)   |  |  |
|  | Arc (R)  |  | 65.0   | ~300   |   | 11.4   | Laboratory (groominouse)   |  |  |
|  | Saranac (S)  |  | 0.0  | ~300   |   |  |  |  |  |
|  | SCORING SYSTEM:  | Standard   | i test   |  |   |  |  |  |  |
| Antirracnose, Race 2<br>(Colletotrichum trifolii)  | Application  | ***  |  |  |   |  |  |  |  |
|  | Saranac AR (R)   | :  |  |  |   |  |  |  |  |
|  | Arc (S)  |  |  |  |   |  |  |  |  |
|  | SCORING SYSTEM:  |  | <u>.</u>   |  |   |  |  |  |  |
| P  |  |  |  |  |   |  |  |  |  |
| Bacterial Wilt<br>(Corynebacterium insidiosum)   | Application LR   | 2  | 12.2   | ~200   |   | % Resistant plants   | Pioneer Hi-Bred International,<br>Inc., 1993, Arlington, WI, field   |  |  |
|  | Vernal (R)   |  | 42.0   | ~200   |   | 16.7   |  |  |  |
|  | Narragansett (S)   |  | 1.1  | ~200   |   |  |  |  |  |
|  | SCORING SYSTEM:  | Standard   | test   |  |   |  |  |  |  |
|  |  |  |  | <u>.</u>   |   |  |  |  |  |
| Common Leafspot<br>(Pseudopeziza medicaginis)  | Application  |  |  |  |   |  |  |  |  |
|  | MSA-CW3An3 (R  |  |  |  |   |  |  |  |  |
|  | Ranger (S)   |  |  |  |   | i  |  |  |  |
|  | SCORING SYSTEM:  |  |  |  |   |  |  |  |  |

| DISEASE  | VARIETY          | SYN. GEN.<br>TESTED | PERCENT<br>RESISTANT<br>PLANTS | NUMBER OF<br>PLANTS TESTED                | ASI | ASI<br>LSD .05     | INSTITUTION, YEAR, LOCATION, FIELD OR LABORATORY            |
|--|------------------|---------------------|--------------------------------|---|-----|--------------------|---|
| Downy Mildew<br>(Peronospora trifollorum)                            | Application      |                     |                                |   |     |                    | ·   |
| Isolate, if known:   | Saranac (R)      | •                   |                                |   |     | 7                  |   |
|  | - Kanza (S)      |                     |                                |   |     |                    |   |
|  | SCORING SYSTEM:  |                     |                                |   | •   |                    |   |
| Fusarium Wilt<br>(Fusarium oxysporum<br>f. medicaginis)              | Application HR   | 2                   | 71.1                           | ~200                                      |     | % Resistant plants | Pioneer Hi-Bred Internation<br>Inc., 1992, Quarryville, PA, |
|  | Моара 69 (R) A   | gate (HR)           | 54.0                           | ~200                                      |     | 12.6               | field   |
|  | Narragansett (S) | NGN-1               | 4.9                            | ~200                                      |     |                    |   |
|  | SCORING SYSTEM:  | Standar             | d test                         |   |     |                    |   |
| Phytophthora Root Rot<br>(Phytophthora megasperma<br>f. medicaginis) | Application HR   | 2                   | 85.0                           | ~300                                      |     | % Resistant plants | Pioneer Hi-Bred International Inc., 1992, Kerman, CA,       |
|  | Agate (R)        |                     | 43.0                           | ~300                                      |     | 16.7               | Laboratory (greenhouse)                                     |
|  | Saranac (S)      |                     | 0.0                            | ~300                                      |     |                    |   |
|  | SCORING SYSTEM:  | Standard            | test                           |   |     |                    |   |
| Verticillium Wilt<br>(Verticillium alboatrum)                        | Application LR   | 2                   | 11.3                           | ~200                                      |     | % Resistant plants | Pioneer Hi-Bred International Inc., 1992, Arlington, WI,    |
|  | Vertus (R)       |                     | 40.0                           | ~200                                      |     | 14.7               | Laboratory (greenhouse)                                     |
|  | Saranac (S)      |                     | 2.5                            | ~200                                      |     |                    |   |
|  | SCORING SYSTEM:  | Standard            | test                           |   |     |                    |   |
| Other (Specify)  | Application      |                     |                                |   |     |                    |   |
|  | (R)              |                     |                                |   |     |                    |   |
|  | (S)              |                     |                                |   |     |                    |   |
|  | SCORING SYSTEM:  |                     |                                |   |     |                    |   |
| Other (Specify)  | Application      |                     |                                |   |     |                    |   |
|  | (R)              |                     |                                |   |     |                    |   |
| •  | (S)              |                     |                                |   |     |                    |   |
|  | SCORING SYSTEM:  |                     |                                |   |     |                    | <u> </u>  |
| NSECT RESISTANCE:<br>INSECT  | VARIETY          | SYN. GEN.<br>TESTED | PERCENT<br>DEFOLIATION         | DEFOLIATION IN PERCENT OF RESISTANT CHECK | ASI | ASI<br>LSD .05     | INSTITUTION, YEAR, LOCATION, FIELD OR LABORATORY            |
| Affalfa Weevil<br>(Hypera postica)                                   | Application      |                     |                                |   |     |                    |   |
|  | Arc (R)          |                     |                                | 100                                       |     |                    |   |
|  | Saranac (S)      |                     |                                |   |     |                    |   |
|  | SCORING SYSTEM:  |                     |                                |   |     |                    | ·   |

| INSECT  | VARIETY          | SYN. GEN.<br>TESTED | PERCENT<br>SEEDLING<br>SURVIVAL | NUMBER OF<br>SEEDLINGS<br>TESTED | ASI | ASI<br>LSD .05     | INSTITUTION, YEAR, LOCATION, FIELD OR LABORATORY        |
|---|------------------|---------------------|---------------------------------|----------------------------------|-----|--------------------|---|
| Blue Alfalfa Aphid<br>(Acyrthosiphon kondoi)                          | Application R    | 1                   | 51.0                            | ~250                             |     | % Resistant plants | Pioneer Hi-Bred International Inc., 1989, Johnston, IA, |
|   | CUF 101 (R)      |                     | 55.0                            | ~250                             |     | 11.9               | Laboratory (greenhouse)                                 |
|   | PA-1 (S) Caliv   | erde (S)            | 2.0                             | ~250                             |     |                    |   |
|   | SCORING SYSTEM:  | Standar             | d test                          |                                  |     |                    |   |
| Pea Aphid<br>(Acyrthosiphon pisum)                                    | Application HR   | 2                   | 86.0                            | ~250                             |     | % Resistant plants | Pioneer Hi-Bred Internation<br>Inc., 1995, Kerman, CA,  |
|   | Kanza (R) PA-1   | (HR)                | 55.0                            | ~250                             |     | 20.9               | Laboratory (greenhouse)                                 |
|   |                  | erde (S)            | 3.0                             | ~250                             |     |                    |   |
|   | SCORING SYSTEM:  | Standard            | d test                          |                                  |     |                    |   |
| Spotted Alfalfa Aphid<br>(Therioaphis maculata)<br>Biotype, if known: | Application HR   | 2                   | 57.3                            | ~300                             |     | % Resistant plants | Pioneer Hi-Bred International                           |
|   | Kanza (R) Bake   | r (R)               | 50.0                            | ~300                             |     | 11.7               | Laboratory (greenhouse)                                 |
|   | Ranger (S) Arc ( | <b>3</b> )          | 1.4                             | ~300                             |     |                    |   |
|   | SCORING SYSTEM:  | Standard            | I test                          |                                  |     |                    |   |
| INSECT  | VARIETY          | SYN, GEN.<br>TESTED | PERCENT<br>RESISTANT<br>PLANTS  | NUMBER OF<br>PLANTS TESTED       | ASI | ASI<br>LSD .05     | INSTITUTION, YEAR, LOCATION, FIELD OR LABORATORY        |
| Potato Leafhopper Yellowing<br>(Empoasca fabae)                       | Application      |                     |                                 |                                  |     |                    |   |
|   | MSA-CW3An3 (R)   |                     |                                 |                                  |     |                    |   |
|   | Ranger (S)       |                     |                                 |                                  |     |                    |   |
|   | SCORING SYSTEM:  | _                   |                                 |                                  |     | •                  |   |
| Other (Specify)   | Application      |                     |                                 |                                  |     |                    |   |
|   | (R)              |                     |                                 |                                  |     | 1                  |   |
|   | (S)              |                     |                                 |                                  |     |                    |   |
|   | SCORING SYSTEM:  |                     |                                 | <u> </u>                         |     |                    |   |
| NEMATODE RESISTANCE:<br>NEMATODE                                      | VARIETY          | SYN. GEN.<br>TESTED | PERCENT<br>RESISTANT<br>PLANTS  | NUMBER OF<br>PLANTS TESTED       | ASI | ASI<br>LSD .05     | INSTITUTION, YEAR, LOCATION,<br>FIELD OR LABORATORY     |
| Northern Root Knot<br>(Meloidogyne hapla)                             | Application      |                     |                                 |                                  |     |                    |   |
|   | Nev.Syn.XX       |                     |                                 |                                  |     |                    |   |
|   | Lahontan (S)     |                     |                                 |                                  |     |                    |   |
|   | SCORING SYSTEM:  |                     |                                 |                                  |     | !                  |   |

| . C. NEMATODE RESISTANCI                      | E (Continued):  |                     |                                |                            |     |                    | 7600333  |
|---|-----------------|---------------------|--------------------------------|----------------------------|-----|--------------------|--|
| NEMATODE                                      | VARIETY         | SYN. GEN.<br>TESTED | PERCENT<br>RESISTANT<br>PLANTS | NUMBER OF<br>PLANTS TESTED | ASI | ASI<br>LSD .05     | INSTITUTION, YEAR, LOCATION, FIELD OR LABORATORY             |
| Southern Root Knot<br>(Meloidogyne incognita) | Application     |                     |                                |                            |     |                    |  |
|   | Moapa 69 (R)    |                     |                                |                            |     |                    |  |
|   | Lahontan (S)    |                     |                                |                            |     |                    |  |
|   | SCORING SYSTEM: |                     |                                |                            |     |                    |  |
| Stem Nematode<br>(Ditylenchus dipsaci)        | Application R   | 2                   | 40.3                           | ~200                       |     | % Resistant plants | Pioneer Hi-Bred Internationa<br>Inc., 1993, Epuiseau, France |
|   | Lahontan (R)    |                     | 50.0                           | ~200                       |     | 17.7               | Laboratory (greenhouse)                                      |
|   | Ranger (S)      |                     | 9.7                            | ~200                       |     |                    |  |
|   | SCORING SYSTEM: | Standard            | test                           |                            |     |                    |  |
| Other (Specify)                               | Application     |                     |                                |                            |     |                    |  |
|   | (R)             |                     |                                |                            |     |                    |  |
|   | (S)             |                     |                                |                            |     |                    |  |
|   | SCORING SYSTEM; |                     |                                |                            |     |                    |  |

| 11. INDICATE THE VARIETY | HAT MOST CLOSELY RESEMBLES THE APPLICATION VARIETY FOR EACH OF THE FOLLOWING CHARACTERS: |
|--------------------------|--|
|                          |  |

| CHARACTER              | VARIETY | CHARACTER                   | VARIETY  |
|------------------------|---------|-----------------------------|----------|
| Winterhardiness        | 5929    | Plant Color                 | <u>-</u> |
| Recovery After 1st Cut | 5929    | Crown Type                  | 5929     |
| Area of Adaptation     | 5929    | Combined Disease Resistance | 5929     |
| Flowering Date         | -       | Combined Insect Resistance  | 5929     |

#### REFERENCES

Barnes, D.K. 1972. A System for Visually Classifying Alfalfa Flower Color. U.S. Dep. Agric. Handb. 424. 18 pp. (Note: Greenish cast of plate 6, A and B is an artifact of printing, actual colors a blend of yellow and white.)

Elgin, J.H., Jr., (ed.). 1982. Standard Tests to Characterize Pest Resistance in Alfalfa Cultivars. U.S. Dep. Agric. Tech. Bull. (In Press).

Gunn, C.R., W.H. Skrdla, and H.C. Spencer. 1978. Classification of Medicago sativa L. using legume characters and flower colors. U.S. Dep. Agric, Tech. Bull. 1574. 84 pp.

Munsell Color Co. 1977. Munsell Plant Tissue Color Charts. Munsell Color Co., Inc. Baltimore.

NOTE: Any additional descriptive information and supporting documentation may be provided as Exhibit D.

GPO 915-306

## **EXHIBIT D**

#### 5939 AMENDED

- 1. 5939 is a synthetic variety with 156 parent plants originating from UC Cibola, 5715, and a Pioneer experimental germplasm. Parent plants were selected through phenotypic recurrent selection for resistance to anthracnose and Phytophthora root rot. Germplasm sources are *M. varia* (1%), Turkistan (5%), Flemish (1%), Chilean (7%), Indian (6%), African (40%), and unknown (40%).
- 2. 5939 is intended for use in the southwestern part of the U.S. and the northern part of Argentina. It has been tested for yield in California and Argentina and is intended to be used in these areas and is also intended to be used in Australia, Spain and Mexico.
- 3. 5939 is a very nondormant cultivar with a fall dormancy similar to CUF101. Flower color of the Syn 2 generation is 100% purple.
- 4. 5939 has high resistance to Fusarium wilt, Phytophthora root rot, **pea aphid**, and spotted alfalfa aphid; resistance to blue alfalfa aphid, anthracnose (Race 1), and stem nematode; and low resistance to Verticillium wilt and bacterial wilt. 5939 has not been tested for resistance to root knot nematode or Aphanomyces root rot.
- 5. Breeder seed (Syn 1) was produced in 1988 and 1989 on parent plants in "cage isolation" and bulked. Seed classes will be breeder, foundation (Syn 2 or Syn 3) and certified (Syn 2, Syn 3, or Syn 4). Foundation seed may be produced from breeder or foundation. The second generation foundation (Syn 3) may be produced at the discretion of Pioneer Hi-Bred International, Inc. Limitations on age of stand will be three years and five years, respectively, for foundation seed and certified seed. Sufficient breeder and/or foundation seed for the projected life of the variety will be maintained by Pioneer Hi-Bred International, Inc.
- 6. Seed will be marketed in the fall of 1995 in the U.S.
- 7. Application for Plant Variety Protection will be made, and the certification option will not be requested.
- 8. As a means of added varietal protection, information included with the application for Review of Alfalfa Varieties for Certification may be provided to the PVP office.
- 9. Variety name: 5939

Experimental designations: YAN13, XAN13.

Date NAVRB first accepted this variety: January, 1995

Dates previous amendments were accepted None Date this amendment submitted: November 30, 1995

| REPRODUCE LOCALLY. Include form number and date on all reproductions.  | FORM APPROVED - OMB NO.   | 0581-0055 EXPIRES: 12-31-9                                       |  |  |  |
|--|---|--|--|--|--|
| U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE  | The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995. |  |  |  |  |
| SCIENCE AND TECHNOLOGY DIVISION - PLANT VARIETY PROTECTION OFFICE  | 1   | determine if a plant variety protection                          |  |  |  |
| EXHIBIT E<br>STATEMENT OF THE BASIS OF OWNERSHIP   |   | 2421). Information is held confidential                          |  |  |  |
| 1. NAME OF APPLICANT(S)  | 2. TEMPORARY DESIGNATION 3. VARIETY NAME OR EXPERIMENTAL NUMBER   |  |  |  |  |
| Pioneer Hi-Bred International, Inc.  | XAN13   | 5939   |  |  |  |
| 4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code, and Country)   | 5. TELEPHONE (include area code)  | 6. FAX (include area code)                                       |  |  |  |
| 7305 N.W. 62nd Ave.  | (515) 270-3340  | (515) 270-3750   |  |  |  |
| P.O. Box 287   | 7. PVPO NUMBER  | ×010   |  |  |  |
| Johnston, IA 50131   | 760   | 0333   |  |  |  |
| 8. Does the applicant own all rights to the variety? Mark an "X" In appropriate block. If n  |   | X YES NO   |  |  |  |
| 9. Is the applicant (individual or company) a U.S. national or U.S. based company? If no, give name of country   |   | X yes No   |  |  |  |
|  |   |  |  |  |  |
| 10. Is the applicant the original breeder? If no, please answer the following:   |   | X YES NO   |  |  |  |
| <ul> <li>a. If original rights to variety were owned by individual(s):</li> <li>ls (are) the original breeder(s) a U.S. national(s)? If no, give name of country</li> </ul>  |   |  |  |  |  |
| b. If original rights to variety were owned by a company:     Is the original breeder(s) U.S. based company? If no, give name of country   | · · · · · · · · · · · · · · · · · · ·   | X YES NO   |  |  |  |
|  |   |  |  |  |  |
| 11. Additional explanation on ownership (If needed, use reverse for extra space): Pioneer Hi-Bred International, Inc., Des Moines, IA, is the employer of the plant bre Bred International, Inc. has the sole rights and ownership of 5939.  | eders involved in the development a   | nd evaluation of 5681. Pioneer Hi-                               |  |  |  |
| PLEASE NOTE:   |   |  |  |  |  |
| Plant variety protection can be afforded only to owners (not licensees) who meet one o   | f the following criteria:   | •  |  |  |  |
| <ol> <li>If the rights to the variety are owned by the original breeder, that person must be a L of a country which affords similar protection to nationals of the U.S. for the same ge</li> </ol>   | J.S. national, national of a UPOV membe<br>nus and species.   | r country, or national   |  |  |  |
| <ol><li>If the rights to the variety are owned by the company which employed the original br<br/>nationals of a UPOV member country, or owned by nationals of a country which affo<br/>genus and species.</li></ol>  | reeders(s), the company must be U.S. bards similar protection to nationals of the   | ssed, owned by<br>e U.S. for the same                            |  |  |  |
| 3. If the applicant is an owner who is not the original breeder, both the original breeder   | and the applicant must meet one of the  | above criteria.  |  |  |  |
| The original breeder may be the individual or company who directed final breeding. Se definition.  | e Section 41(a)(2) of the Plant Variety Pr  | rotection Act for  |  |  |  |
| Public reporting burden for this collection of information is estimated to average 10 minutes per response, including the maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the suggestions for reducing this burden, to Department of Agriculture, Clearance Officer, OIRM, AG Box 7630, Jamie L. Wi 0581-0055 and form number in your letter. | ils burden estimate or any other aspect of this collection  | on of Information, including                                     |  |  |  |
| Under the PRA of 1995, no persons are required to respond to a collection of information unless it displays a valid OME  | 3 control number.   |  |  |  |  |
| The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communications at (202) 720-2791.   | origin, sex, religion, age, disability, political beliefs, a<br>ation of program information (braille, large print, audio                   | nd marital or familial status.<br>tape, etc.) should contact the |  |  |  |

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call (202) 720-7327 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.